



AB Inflatable Boats January 1, 2008 Leisure Series Boats

Navigo - Open Tenders

Navigo, our line of open tenders, are the most spacious dinghies on the market, due to the boats' unique design characteristics, which are often imitated but never duplicated.

Navigo boats provide all the features you expect in a top-quality tender: largest internal area on the market, easy planing and balanced design ratios; hulls with built-in stringers for enhanced performance and durability; non-skid fibreglass decks for improved safety; the most interior space of any comparable boat line on the market; and a raised bow and large-diameter tubes for a dry and comfortable ride.

Navigo boats have features that every boater wants, the quality workmanship that our customers have come to expect, and those extra details that our most discriminating customers demand. Whether you are a cruising sailor or keep your boat on a mooring, Navigo boats were made for you.

Standard features include:

- Bow Eye
- Bow Stowage Hatch
- Four Davit Lifting Points
- Hand Laid Fiberglass Hull
- Hand Pump
- Heavy Duty Double Rub Rail
- Heavy Rubber Molded Grab Handles
- Maintenance Kit

- Non-Skid Deck
- Oarlocks (not included on 12VS, 13VS, 14VS)
- Oars (not included on 12VS, 13VS, 14VS)
- Orca Hypalon Five Coated Fabric
- Owner's Manual
- Removable Fiberglass Seat
- Transom Protector
- Paddles (12VS, 13VS, 14VS only)

Model	Length	Beam	Ins. Length	Ins. Beam	Internal Area	Weight	Max Person Cap.	Tube Diameter	Shaft Length	Max Weight Cap.	Rec HP	Max HP	No. Air Cha.
8VS	8' 6"- 2.60 m	5' 4"- 1.63 m	5' 6"- 1.74 m	2' 6"- 0.77 m	13.8 sq.ft 1.3 m ²	125lb - 57kg	4	16" - 0.40 m	15"	928 lb- 422 kg	8 hp- 6 kw	10 hp- 7.5 kw	3 + 1
9VS	9' 6"- 2.90 m	5' 5"- 1.66 m	6' 9"- 2.05 m	2' 8"- 0.82 m	18.1 sq.ft 1.7 m²	143lb - 65kg	5	17" - 0.43 m	15"	1019 lb- 463 kg	9.9 hp- 7.4 kw	15 hp- 11.2 kw	3 + 1
10VS	10' 6"- 3.19 m	5' 5"- 1.66 m	7' 7"- 2.30 m	2' 8"- 0.82 m	20.3 sq.ft 1.9 m ²	169lb - 77kg	5	17" - 0.43 m	15"	1230 lb- 559 kg	15 hp- 11.2 kw	25 hp- 18.7 kw	3 + 1
12VS	12' 0"- 3.60 m	5' 9"- 1.75 m	8' 9"- 2.67 m	2' 9"- 0.83 m	23.8 sq.ft 2.2 m²	198lb - 90kg	6	18" - 0.46 m	15"	1628 lb- 740 kg	20 hp- 14.9 kw	30 hp- 22.4 kw	3 + 1
13VS	13' 0"- 3.95 m	6' 2"- 1.89 m	9' 9"- 2.97 m	3' 2"- 0.97 m	31 sq.ft 2.9 m²	279lb - 127kg	7	18" - 0.46 m	20"	1789 lb- 813 kg	30 hp- 22.4 kw	40 hp- 29.8 kw	3 + 1
14VS	14' 0"- 4.30 m	6' 4"- 1.94 m	10' 10"- 3.30 m	3' 3"- 0.98 m	34.8 sq.ft 3.2 m ²	323lb - 147kg	8	19" - 0.48 m	20"	2145 lb- 975 kg	40 hp- 29.8 kw	50 hp- 37.3 kw	4 + 1

Optional Equipment:

- Boat Cover
- Bow Hatch Cushion
- Bow Step with Fold Down S/S Mooring Cleat
- Engine
- Fiberglass Lateral Step with s/s. Cleat











